

A P P A R A T U S

CYLINDER : SYSTEM

A P P A R A T U S



TABLE OF CONTENTS

CYLINDER : SYSTEM

INTRODUCTION

KEY TERMS

HOW TO ORDER

SPECIFICATIONS AND PRICING

MATERIALS AND FINISHES

CANOPY LAYOUT LIBRARY

APPARATUS CONFIGURATION LIBRARY

A P P A R A T U S



CYLINDER : SYSTEM

REFERENCE

PROPORTION AND UTILITY
WALTER DE MARIA

COMPOSITION

FUNCTIONAL, DIRECTIONAL LIGHTING
MECHANICAL JOINT
CUSTOMIZABLE MODULARITY

THE CYLINDER SERIES ELEVATES THE EXPERIENCE OF FUNCTIONAL LIGHTING WITH DIRECTIONAL LIGHT EMANATING FROM RECESSED POINTS WITHIN SIMPLE METAL FORMS.

OUR CYLINDER : SYSTEM CONCEPT ENCOURAGES YOU TO CHART A PATH THROUGH YOUR SCENE AND TO BRING ATTENTION TO THE THINGS YOU FIND MEANINGFUL. CANOPY UNITS ARE THE BUILDING BLOCKS OF THE PATH, ALONG WHICH LAMP UNITS OF VARIOUS CHARACTER ARE PLACED. THE LIGHT IS SOFT-EDGED, WARM, DIFFUSED, AND CAN BE DIRECTED TO FIND THE OBJECT OF ITS AFFECTION.

TO EXPLORE THE CUSTOMIZABLE MODULARITY OF CYLINDER : SYSTEM, SELECT A CANOPY LAYOUT FROM OUR LIBRARY AND POPULATE IT WITH LAMP UNITS AS DESIRED, OR SELECT AN APPARATUS-DESIGNED CONFIGURATION.

A P P A R A T U S




A P P A R A T U S



A P P A R A T U S






A P P A R A T U S




A P P A R A T U S



A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE
WILL NOT ANGLE FROM THE CANOPY



KEY TERMS

CANOPY UNIT :
A SINGLE CANOPY

CANOPY LAYOUT :
A FORM MADE OF CANOPY UNITS

LAMP UNIT :
A SINGLE LAMP [DOWNLIGHT, DOWNLIGHT EXTENDED, PENDANT]

CONFIGURATION :
A CANOPY LAYOUT WITH LAMP UNIT(S)

INSTALLATION :
A GROUPING OF MULTIPLE CONFIGURATIONS

A P P A R A T U S

HOW TO ORDER

EXPLORE THE CUSTOMIZABLE MODULARITY OF CYLINDER SYSTEM BY CREATING YOUR OWN CONFIGURATION OR SELECTING FROM A NUMBER OF CONFIGURATIONS DESIGNED BY APPARATUS.

CREATE A CONFIGURATION

- STEP ONE FROM THE [CANOPY LAYOUT LIBRARY](#), NAVIGATE TO THE LAYOUT YOU WOULD LIKE TO CONFIGURE.
- STEP TWO CLICK ON THE PLANNING WORKSHEET LINK FROM THE CANOPY LAYOUT LIBRARY PAGE.
- STEP THREE FOLLOW THE INSTRUCTIONS ON THE WORKSHEET TO SELECT AND PLACE YOUR DESIRED LAMP UNITS.
- STEP FOUR SUBMIT YOUR WORKSHEET. YOU WILL RECEIVE A VISUALIZATION AND QUOTE WITHIN TWO BUSINESS DAYS.

SPECIFY AN APPARATUS CONFIGURATION

- STEP ONE FROM THE [APPARATUS CONFIGURATION LIBRARY](#), NAVIGATE TO THE CONFIGURATION YOU WOULD LIKE TO ORDER.
- STEP TWO EMAIL YOUR CLIENT MANAGER OR ORDERS@APPARATUSSTUDIO.COM TO SPECIFY THE DESIRED CONFIGURATION NUMBER, HEIGHTS, MATERIALS AND FINISHES. YOU WILL RECEIVE A VISUALIZATION AND QUOTE WITHIN TWO BUSINESS DAYS.

A P P A R A T U S

PRICING AND DETAILS

CANOPY UNIT
PRICE \$500
WEIGHT APPROX. 2.5 LBS / 1 KG

LAMP UNIT : DOWNLIGHT
PRICE \$1300
MAXIMUM LAMP ANGLE 75 DEGREES
WEIGHT APPROX. 3 LBS / 1 KG

LAMP UNIT : DOWNLIGHT EXTENDED
PRICE \$1600
INCLUDES UP TO 72 IN OAH
MINIMUM OAH 18 IN
MAXIMUM OAH 72 IN
MAXIMUM LAMP ANGLE 90 DEGREES
MAXIMUM ARM ANGLE 45 DEGREES UP TO 48 IN OAH
WEIGHT VERTICAL ONLY 49 - 72 IN OAH
 APPROX. 7 LBS / 3 KG

LAMP UNIT : PENDANT
PRICE A : FROM \$2600 / 22 - 76 IN OVERALL HEIGHT
 OR FROM \$3100 WITH LEATHER OR SUEDE
 B : FROM \$3700 / 77 - 151 IN OVERALL HEIGHT
 OR FROM \$4700 WITH LEATHER OR SUEDE
 C : FROM \$4800 / 152 - 226 IN OVERALL HEIGHT
 OR FROM \$6300 WITH LEATHER OR SUEDE
MINIMUM HEIGHT 22 IN
WEIGHT A : APPROX. 10 LBS / 3 KG
 B : APPROX. 18 LBS / 8 KG
 C : APPROX. 26 LBS / 12 KG

POWER SOURCE

EACH CONFIGURATION CAN BE WIRED TO A SINGLE POWER SOURCE WHICH CAN BE LOCATED ANYWHERE ABOVE THE CANOPY CONFIGURATION. AN ELECTRICAL BOX MUST BE CENTERED ABOVE A CANOPY UNIT TO PROPERLY CONNECT AND SUPPLY POWER.

VOLTAGE

120-240

UL / CE

LAMPING

120V : MAX 9W

240V : MAX 7W

BULB INCLUDED

7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

BULB LIFE


30,000 HOURS

SINGLE METAL FINISH PER CONFIGURATION. LEATHER AND SUEDE MAY BE UNIQUE PER LAMP UNIT IN A CONFIGURATION. CONFIGURATIONS MUST CONTAIN AT LEAST ONE LAMP UNIT.

A P P A R A T U S




AGED BRASS



OIL-RUBBED BRONZE



BLACKENED BRASS



TARNISHED SILVER



LEATHER - CANE



LEATHER - SADDLE



LEATHER - TAUPE




LEATHER - BLACK



SUEDE - ICE



SUEDE - PEWTER




SUEDE - BRONZE



SUEDE - SEPIA



SUEDE - JUNIPER



SUEDE - PLUM



SUEDE - BLACK

METAL

LEATHER

SUEDE

CYLINDER : SYSTEM

AGED BRASS [WAXED]
OIL-RUBBED BRONZE [WAXED]
BLACKENED BRASS [WAXED]
TARNISHED SILVER [LACQUERED] ADD 35%

CANE
SADDLE
TAUPE
BLACK

ICE
PEWTER
BRONZE
SEPIA
JUNIPER
PLUM
BLACK

LEATHER AND SUEDE AVAILABLE FOR
PENDANTS ONLY

A P P A R A T U S

CANOPY LAYOUT LIBRARY

TO CREATE A CONFIGURATION, CLICK ON THE [PLANNING WORKSHEET LINK](#).

A P P A R A T U S

CANOPY LAYOUT STYLE : LINEAR



101X
13 W, 6.5 D IN / 33 W, 17 D CM



102X
19.75 W, 6.5 D IN / 50 W, 17 D CM



103X
26.25 W, 6.5 D IN / 67 W, 17 D CM



104X
32.75 W, 6.5 D IN / 83 W, 17 D CM



105X
39.25 W, 6.5 D IN / 100 W, 17 D CM



106X
46 W, 6.5 D IN / 117 W, 17 D CM



107X
52.5 W, 6.5 D IN / 133 W, 17 D CM



108X
59 W, 6.5 D IN / 150 W, 17 D CM



109X
65.5 W, 6.5 D IN / 167 W, 17 D CM



110X
72.25 W, 6.5 D IN / 183 W, 17 D CM



111X
78.75 W, 6.5 D IN / 200 W, 17 D CM



112X
85.25 W, 6.5 D IN / 217 W, 17 D CM



113X
92 W, 6.5 D IN / 233 W, 17 D CM



114X
98.5 W, 6.5 D IN / 250 W, 17 D CM

ALL LAYOUTS ARE SHOWN IN BOTTOM VIEW

[VISIT THE PLANNING WORKSHEET](#)

A P P A R A T U S

CANOPY LAYOUT STYLE : GRID

1	2
3	4

201X
13 W, 13 D IN / 33 W, 33 D CM

1	2	3	4	5	6	7
8	9	10	11	12	13	14

206X
46 W, 13 D IN / 117 W, 33 D CM

1	2	3	4	5	6	7	8	9	10	11	12
13	14	15	16	17	18	19	20	21	22	23	24

211X
78.75 W, 13 D IN / 200 W, 33 D CM

1	2	3
4	5	6

202X
19.75 W, 13 D IN / 50 W, 33 D CM

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16

207X
52.5 W, 13 D IN / 113 W, 33 D CM

1	2	3	4	5	6	7	8	9	10	11	12	13
14	15	16	17	18	19	20	21	22	23	24	25	26

212X
85.25 W, 13 D IN / 217 W, 33 D CM

1	2	3	4
5	6	7	8

203X
26.25 W, 13 D IN / 67 W, 33 D CM

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18

208X
59 W, 13 D IN / 150 W, 33 D CM

1	2	3	4	5	6	7	8	9	10	11	12	13	14
15	16	17	18	19	20	21	22	23	24	25	26	27	28

213X
92 W, 13 D IN / 233 W, 33 D CM

1	2	3	4	5
6	7	8	9	10

204X
32.75 W, 13 D IN / 83 W, 33 D CM

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20

209X
65.5 W, 13 D IN / 167 W, 33 D CM

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
16	17	18	19	20	21	22	23	24	25	26	27	28	29	30

214X
98.5 W, 13 D IN / 250 W, 33 D CM

1	2	3	4	5	6
7	8	9	10	11	12

205X
39.25 W, 13 D IN / 100 W, 33 D CM

1	2	3	4	5	6	7	8	9	10	11
12	13	14	15	16	17	18	19	20	21	22

210X
72.25 W, 13 D IN / 183 W, 33 D CM

1	2	3
4	5	6
7	8	9

215X
19.75 W, 19.75 D IN / 50 W, 50 D CM

1	2	3	4
5	6	7	8
9	10	11	12

216X
26.25 W, 19.75 D IN / 67 W, 50 D CM

ALL LAYOUTS ARE SHOWN IN BOTTOM VIEW

[VISIT THE PLANNING WORKSHEET](#)

A P P A R A T U S


CANOPY LAYOUT STYLE : L FORM



301X
13 W, 13 D IN / 33 W, 33 D CM



302LX
19.75 W, 13 D IN / 50 W, 33 D CM




302RX
19.75 W, 13 D IN / 50 W, 33 D CM



307LX
46 W, 19.75 D IN / 117 W, 50 D CM




307RX
46 W, 19.75 D IN / 117 W, 50 D CM




305X
19.75 W, 19.75 D IN / 50 W, 50 D CM



303LX
26.25 W, 13 D IN / 67 W, 33 D CM




303RX
26.25 W, 13 D IN / 67 W, 33 D CM




309LX
39.25 W, 26.25 D IN / 100 W, 67 D CM



309RX
39.25 W, 26.25 D IN / 100 W, 67 D CM




308X
26.25 W, 26.25 D IN / 67 W, 67 D CM



304LX
32.75 W, 13 D IN / 83 W, 33 D CM



304RX
32.75 W, 13 D IN / 83 W, 33 D CM



310LX
46 W, 26.25 D IN / 117 W, 67 D CM




310RX
46 W, 26.25 D IN / 117 W, 67 D CM

ALL LAYOUTS ARE SHOWN IN BOTTOM VIEW


[VISIT THE PLANNING WORKSHEET](#)

A P P A R A T U S


CANOPY LAYOUT STYLE : T FORM, C FORM




401X
19.75 W, 19.75 D IN / 50 W, 50 D CM




402X
46 W, 46 D IN / 117 W, 117 D CM




403X
72.25 W, 32.75 D IN / 183 W, 83 D CM



501X
19.75 W, 32.75 D IN / 50 W, 83 D CM



502X
19.75 W, 52.5 D IN / 50 W, 133 D CM




503X
26.25 W, 65.5 D IN / 67 W, 167 D CM

ALL LAYOUTS ARE SHOWN IN BOTTOM VIEW


[VISIT THE PLANNING WORKSHEET](#)

A P P A R A T U S


CANOPY LAYOUT STYLE : Z FORM




601LX
19.75 W, 13 D IN / 50 W, 33 D CM




601RX
19.75 W, 13 D IN / 50 W, 33 D CM




605LX
46 W, 26.25 D IN / 117 W, 67 D CM




605RX
46 W, 26.25 D IN / 117 W, 67 D CM




602LX
39.25 W, 19.75 D IN / 100 W, 50 D CM



602RX
39.25 W, 19.75 D IN / 100 W, 50 D CM



603LX
46 W, 26.25 D IN / 117 W, 67 D CM



603RX
46 W, 26.25 D IN / 117 W, 67 D CM



604LX
39.25 W, 13 D IN / 100 W, 33 D CM




604RX
39.25 W, 13 D IN / 100 W, 33 D CM

ALL LAYOUTS ARE SHOWN IN BOTTOM VIEW


[VISIT THE PLANNING WORKSHEET](#)

A P P A R A T U S

CANOPY LAYOUT STYLE : P FORM




701LX
26.25 W, 13 D IN / 67 W, 33 D CM



701RX
26.25 W, 13 D IN / 67 W, 33 D CM




704LX
32.75 W, 13 D IN / 83 W, 33 D CM




704RX
32.75 W, 13 D IN / 83 W, 33 D CM




702LX
39.25 W, 13 D IN / 100 W, 33 D CM




702RX
39.25 W, 13 D IN / 100 W, 33 D CM



705LX
46 W, 13 D IN / 117 W, 33 D CM




705RX
46 W, 13 D IN / 117 W, 33 D CM




703LX
52.5 W, 13 D IN / 133 W, 33 D CM



703RX
52.5 W, 13 D IN / 133 W, 33 D CM



707LX
39.25 W, 19.75 D IN / 100 W, 50 D CM



707RX
39.25 W, 19.75 D IN / 100 W, 50 D CM



706LX
59 W, 13 D IN / 150 W, 33 D CM




706RX
59 W, 13 D IN / 150 W, 33 D CM

ALL LAYOUTS ARE SHOWN IN BOTTOM VIEW


[VISIT THE PLANNING WORKSHEET](#)

A P P A R A T U S


CANOPY LAYOUT STYLE : P FORM




708LX
59 W, 26.25 D IN / 150 W, 67 D CM




708RX
59 W, 26.25 D IN / 150 W, 67 D CM




709LX
78.75 W, 26.25 D IN / 200 W, 67 D CM



709RX
78.75 W, 26.25 D IN / 200 W, 67 D CM



710LX
98.5 W, 26.25 D IN / 250 W, 67 D CM




710RX
98.5 W, 26.25 D IN / 250 W, 67 D CM

ALL LAYOUTS ARE SHOWN IN BOTTOM VIEW


[VISIT THE PLANNING WORKSHEET](#)

A P P A R A T U S


CYLINDER : SYSTEM INSTALLATION




002X
26.25 W, 19.75 D IN / 67 W, 50 D CM



006X
105 W, 19.75 D IN / 267 W, 50 D CM



001X
78.75 W, 13 D IN / 200 W, 33 D CM




005X
243 W, 13 D IN / 617 W, 33 D CM

ALL LAYOUTS ARE SHOWN IN BOTTOM VIEW


[VISIT THE PLANNING WORKSHEET](#)

A P P A R A T U S


CYLINDER : SYSTEM INSTALLATION




008X
164 W, 32.75 D IN / 417 W, 83 D CM



003X
46 W, 32.75 D IN / 117 W, 83 D CM



007X
138 W, 32.75 D IN / 351 W, 83 D CM



004X
59 W, 32.75 D IN / 150 W, 83 D CM

ALL LAYOUTS ARE SHOWN IN BOTTOM VIEW


[VISIT THE PLANNING WORKSHEET](#)

A P P A R A T U S


APPARATUS CONFIGURATION LIBRARY

TO ORDER AN APPARATUS CONFIGURATION, EMAIL YOUR CLIENT MANAGER OR
ORDERS@APPARATUSSTUDIO.COM TO SPECIFY THE DESIRED CONFIGURATION
NUMBER, HEIGHTS, MATERIALS AND FINISHES.

A P P A R A T U S




AGED BRASS



AGED BRASS

A P P A R A T U S



	CYLINDER : SYSTEM 401A
DIMENSIONS	19.75 W, 19.75 D IN 50 W, 50 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 51 LBS / 23 KG
PRICE	FROM \$12900
MINIMUM HEIGHT	22 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	4 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY
DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S




AGED BRASS



TARNISHED SILVER

A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE
WILL NOT ANGLE FROM THE CANOPY

CYLINDER : SYSTEM 707RA


DIMENSIONS	39.25 W, 19.75 D IN 100 W, 50 D CM HEIGHT TO ORDER APPROX. 46 LBS / 21 KG
WEIGHT	
PRICE	FROM \$11500
MINIMUM HEIGHT INCLUDES	18 IN 72 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	4 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY
DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S





AGED BRASS



AGED BRASS

A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE
WILL NOT ANGLE FROM THE CANOPY

CYLINDER : SYSTEM 106A

DIMENSIONS	46 W, 6.5 D IN 117 W, 17 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 35 LBS / 16 KG
PRICE	FROM \$9300
MINIMUM HEIGHT INCLUDES	18 IN 72 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	4 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY
DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S




AGED BRASS



AGED BRASS

A P P A R A T U S



	CYLINDER : SYSTEM 708LA
DIMENSIONS	59 W, 26.25 D IN 150 W, 67 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 98 LBS / 44 KG
PRICE	FROM \$25400
MINIMUM HEIGHT	22 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	9 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE
	FINISHED AND ASSEMBLED BY HAND IN NY DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S




AGED BRASS



AGED BRASS

A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE
WILL NOT ANGLE FROM THE CANOPY

DIMENSIONS

CYLINDER : SYSTEM 304RA

32.75 W, 13 D IN

83 W, 33 D CM

HEIGHT TO ORDER

APPROX. 32 LBS / 15 KG

WEIGHT

PRICE

FROM \$8800

MINIMUM HEIGHT INCLUDES

18 IN

72 IN

VOLTAGE

120-240

UL / CE

LAMPING

120V : MAX 9W

240V : MAX 7W

BULB INCLUDED

4 X 7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

BULB LIFE

30,000 HOURS

DEPOSIT

50% UPON ORDER

BALANCE


DUE PRIOR TO SHIPPING

LEAD TIME

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY
DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S




AGED BRASS



AGED BRASS

A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE
WILL NOT ANGLE FROM THE CANOPY

CYLINDER : SYSTEM 203A

DIMENSIONS	26.25 W, 13 D IN 67 W, 33 D CM HEIGHT TO ORDER APPROX. 40 LBS / 18 KG
WEIGHT	
PRICE	FROM \$10400
MINIMUM HEIGHT INCLUDES	18 IN 72 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	4 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY
DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S





AGED BRASS



AGED BRASS

A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE
WILL NOT ANGLE FROM THE CANOPY

DIMENSIONS

WEIGHT

PRICE

MINIMUM HEIGHT

INCLUDES

VOLTAGE

LAMPING

BULB INCLUDED

BULB LIFE

DEPOSIT

BALANCE

LEAD TIME

CYLINDER : SYSTEM 710RA

98.5 W, 26.25 D IN

250 W, 67 D CM

HEIGHT TO ORDER

APPROX. 90 LBS / 41 KG

FROM \$20000

DOWNLIGHT EXTENDED : 18 IN

PENDANT : 22 IN

DOWNLIGHT EXTENDED : 72 IN

120-240

UL / CE

120V : MAX 9W

240V : MAX 7W

4 X 7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

30,000 HOURS

50% UPON ORDER

DUE PRIOR TO SHIPPING

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY

DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S




AGED BRASS



AGED BRASS

A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE
WILL NOT ANGLE FROM THE CANOPY

CYLINDER : SYSTEM 215A1

DIMENSIONS	19.75 W, 19.75 D IN 50 W, 50 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 47 LBS / 21 KG
PRICE	FROM \$11900
MINIMUM HEIGHT	DOWNLIGHT EXTENDED : 18 IN PENDANT : 22 IN
INCLUDES	DOWNLIGHT EXTENDED : 72 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	4 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY
DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S




AGED BRASS



AGED BRASS

A P P A R A T U S



DIMENSIONS

CYLINDER : SYSTEM 204A

32.75 W, 13 D IN

83 W, 33 D CM

HEIGHT TO ORDER

APPROX. 48 LBS / 22 KG

WEIGHT

PRICE

FROM \$11500

MINIMUM HEIGHT

22 IN

VOLTAGE

120-240

UL / CE

LAMPING

120V : MAX 9W

240V : MAX 7W

BULB INCLUDED

3 X 7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

BULB LIFE

30,000 HOURS

DEPOSIT

50% UPON ORDER

BALANCE

DUE PRIOR TO SHIPPING

LEAD TIME


PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY
DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S




AGED BRASS



AGED BRASS

A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE
WILL NOT ANGLE FROM THE CANOPY

DIMENSIONS

CYLINDER : SYSTEM 602RA

39.25 W, 19.75 D IN

100 W, 50 D CM

HEIGHT TO ORDER

APPROX. 37 LBS / 17 KG

WEIGHT

PRICE

FROM \$9800

MINIMUM HEIGHT INCLUDES

18 IN

72 IN

VOLTAGE

120-240

UL / CE

LAMPING

120V : MAX 9W

240V : MAX 7W

BULB INCLUDED

4 X 7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

BULB LIFE

30,000 HOURS

DEPOSIT

50% UPON ORDER

BALANCE


DUE PRIOR TO SHIPPING

LEAD TIME

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY
DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S





AGED BRASS



AGED BRASS

A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE
WILL NOT ANGLE FROM THE CANOPY

CYLINDER : SYSTEM 108A

DIMENSIONS

59 W, 6.5 D IN

150 W, 17 D CM

HEIGHT TO ORDER

APPROX. 48 LBS / 22 KG

WEIGHT

PRICE

FROM \$12500

MINIMUM HEIGHT

18 IN

INCLUDES

72 IN

VOLTAGE

120-240

UL / CE

LAMPING

120V : MAX 9W

240V : MAX 7W

BULB INCLUDED

5 X 7W DIMMABLE LED BULB

500 LUMENS 1800-3000K WARM DIM

120V : GU10

240V : GU10

BULB LIFE

30,000 HOURS

DEPOSIT

50% UPON ORDER

BALANCE

DUE PRIOR TO SHIPPING

LEAD TIME

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY
DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S




AGED BRASS / TAUPE LEATHER



AGED BRASS / TAUPE LEATHER

A P P A R A T U S



	CYLINDER : SYSTEM 303RA
DIMENSIONS	26.25 W, 13 D IN 67 W, 33 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 35 LBS / 16 KG
PRICE	FROM \$9000
MINIMUM HEIGHT	22 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	3 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM
BULB LIFE	120V : GU10 240V : GU10 30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY
DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S





AGED BRASS / TAUPE LEATHER



AGED BRASS

A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE
WILL NOT ANGLE FROM THE CANOPY

DIMENSIONS

CYLINDER : SYSTEM 215A2

19.75 W, 19.75 D IN

50 W, 50 D CM

HEIGHT TO ORDER

APPROX. 42 LBS / 19 KG

WEIGHT

PRICE

FROM \$10300

MINIMUM HEIGHT

DOWNLIGHT EXTENDED : 18 IN

PENDANT : 22 IN

INCLUDES

DOWNLIGHT EXTENDED : 72 IN

VOLTAGE

120-240

UL / CE

LAMPING

120V : MAX 9W

240V : MAX 7W

BULB INCLUDED

3 X 7W DIMMABLE LED BULB

500 LUMENS 1800-3000K WARM DIM

120V : GU10

240V : GU10

BULB LIFE

30,000 HOURS

DEPOSIT

50% UPON ORDER

BALANCE

DUE PRIOR TO SHIPPING

LEAD TIME

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY
DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S





AGED BRASS



AGED BRASS

A P P A R A T U S




DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE
WILL NOT ANGLE FROM THE CANOPY

CYLINDER : SYSTEM INSTALLATION 001A

DIMENSIONS	78.75 W, 13 D IN 200 W, 33 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 64 LBS / 29 KG
PRICE	FROM \$16900
MINIMUM HEIGHT INCLUDES	18 IN 72 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	7 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY
DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S



DIMENSIONS

CYLINDER : SYSTEM 301A

9.75 H, 13 W, 13 D IN

WEIGHT

25 H, 33 W, 33 D CM

APPROX. 11 LBS / 5 KG

PRICE

FROM \$2800

VOLTAGE

120-240

UL / CE

LAMPING

120V : MAX 9W

240V : MAX 7W

BULB INCLUDED

7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

BULB LIFE

30,000 HOURS

DEPOSIT

50% UPON ORDER

BALANCE

DUE PRIOR TO SHIPPING


LEAD TIME

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY

DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S



DIMENSIONS

CYLINDER : SYSTEM 201A

9.75 H, 13 W, 13 D IN
25 H, 33 W, 33 D CM
APPROX. 17 LBS / 8 KG

WEIGHT

PRICE

FROM \$4600

VOLTAGE

120-240
UL / CE

LAMPING

120V : MAX 9W
240V : MAX 7W

BULB INCLUDED

2 X 7W DIMMABLE LED BULB
500 LUMENS
1800-3000K WARM DIM

BULB LIFE

30,000 HOURS

DEPOSIT

50% UPON ORDER

BALANCE


DUE PRIOR TO SHIPPING

LEAD TIME

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY
DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S



DIMENSIONS

CYLINDER : SYSTEM 101A

9.75 H, 6.5 W, 13 D IN

WEIGHT

25 H, 17 W, 33 D CM

APPROX. 9 LBS / 4 KG

PRICE

FROM \$2300

VOLTAGE

120-240

UL / CE

LAMPING

120V : MAX 9W

240V : MAX 7W

BULB INCLUDED

7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

BULB LIFE

30,000 HOURS

DEPOSIT

50% UPON ORDER

BALANCE

DUE PRIOR TO SHIPPING


LEAD TIME

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY

DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE
WILL NOT ANGLE FROM THE CANOPY

DIMENSIONS

CYLINDER : SYSTEM 701RA

26.25 W, 13 D IN

67 W, 33 D CM

HEIGHT TO ORDER

APPROX. 27 LBS / 12 KG

WEIGHT

PRICE

FROM \$7200

MINIMUM HEIGHT INCLUDES

18 IN

72 IN

VOLTAGE

120-240

UL / CE

LAMPING

120V : MAX 9W

240V : MAX 7W

BULB INCLUDED

3 X 7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

BULB LIFE

30,000 HOURS

DEPOSIT

50% UPON ORDER

BALANCE


DUE PRIOR TO SHIPPING

LEAD TIME

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY
DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S




AGED BRASS



AGED BRASS

A P P A R A T U S




DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE
WILL NOT ANGLE FROM THE CANOPY

CYLINDER : SYSTEM INSTALLATION 002A

DIMENSIONS	26.25 W, 19.75 D IN 67 W, 50 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 60 LBS / 27 KG
PRICE	FROM \$10900
MINIMUM HEIGHT INCLUDES	18 IN 72 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	5 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY
DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S




DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE
WILL NOT ANGLE FROM THE CANOPY

CYLINDER : SYSTEM 202A

DIMENSIONS	19.75 W, 13 D IN 50 W, 33 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 30 LBS / 14 KG
PRICE	FROM \$7800
MINIMUM HEIGHT INCLUDES	18 IN 72 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	3 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY
DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE
WILL NOT ANGLE FROM THE CANOPY

CYLINDER : SYSTEM 102A

DIMENSIONS	19.75 W, 6.5 D IN 50 W, 17 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 13 LBS / 6 KG
PRICE	FROM \$3100
MINIMUM HEIGHT INCLUDES	18 IN 72 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY
DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S




AGED BRASS



AGED BRASS

A P P A R A T U S



DIMENSIONS

CYLINDER : SYSTEM INSTALLATION 003A

46 W, 32.75 D IN

117 W, 83 D CM

HEIGHT TO ORDER

APPROX. 43 LBS / 20 KG

WEIGHT

PRICE

FROM \$15100

MINIMUM HEIGHT

22 IN

VOLTAGE

120-240

UL / CE

LAMPING

120V : MAX 9W

240V : MAX 7W

BULB INCLUDED

4 X 7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

BULB LIFE

30,000 HOURS

DEPOSIT

50% UPON ORDER

BALANCE


DUE PRIOR TO SHIPPING

LEAD TIME

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY
DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S



CYLINDER : SYSTEM 306RA

DIMENSIONS

9.75 H, 32.75 W, 19.75 D IN

WEIGHT

25 H, 83 W, 50 D CM

APPROX. 28 LBS / 13 KG

PRICE

FROM \$7400

VOLTAGE

120-240

UL / CE

LAMPING

120V : MAX 9W

240V : MAX 7W

BULB INCLUDED

3 X 7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

BULB LIFE

30,000 HOURS

DEPOSIT

50% UPON ORDER

BALANCE

DUE PRIOR TO SHIPPING

LEAD TIME

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY

DOMESTIC AND IMPORTED COMPONENTS


A P P A R A T U S



	CYLINDER : SYSTEM 305A
DIMENSIONS	19.75 W, 19.75 D IN 50 W, 50 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 32 LBS / 15 KG
PRICE	FROM \$7700
MINIMUM HEIGHT	22 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	2 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY
DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S




AGED BRASS



AGED BRASS

A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE
WILL NOT ANGLE FROM THE CANOPY

CYLINDER : SYSTEM INSTALLATION 004A

DIMENSIONS

59 W, 32.75 D IN

150 W, 83 D CM

HEIGHT TO ORDER

APPROX. 77 LBS / 35 KG

WEIGHT

PRICE

FROM \$19800

MINIMUM HEIGHT

DOWNLIGHT EXTENDED : 18 IN

PENDANT : 22 IN

INCLUDES

DOWNLIGHT EXTENDED : 72 IN

VOLTAGE

120-240

UL / CE

LAMPING

120V : MAX 9W

240V : MAX 7W

BULB INCLUDED

7 X 7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

BULB LIFE

30,000 HOURS

DEPOSIT

50% UPON ORDER

BALANCE


DUE PRIOR TO SHIPPING

LEAD TIME

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY
DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE
WILL NOT ANGLE FROM THE CANOPY

DIMENSIONS

CYLINDER : SYSTEM 605RA

46 W, 26.25 D IN

117 W, 67 D CM

HEIGHT TO ORDER

APPROX. 48 LBS / 22 KG

WEIGHT

PRICE

FROM \$12600

MINIMUM HEIGHT INCLUDES

18 IN

72 IN

VOLTAGE

120-240

UL / CE

LAMPING

120V : MAX 9W

240V : MAX 7W

BULB INCLUDED

5 X 7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

BULB LIFE

30,000 HOURS

DEPOSIT

50% UPON ORDER

BALANCE


DUE PRIOR TO SHIPPING

LEAD TIME

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY
DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S



	CYLINDER : SYSTEM 302LA
DIMENSIONS	19.75 W, 13 D IN 50 W, 33 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 29 LBS / 13 KG
PRICE	FROM \$7200
MINIMUM HEIGHT	22 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	2 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM
BULB LIFE	120V : GU10 240V : GU10 30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY
DOMESTIC AND IMPORTED COMPONENTS