

Calico

EVOKE

Tear Sheets



Calico

EVOKE

Tear Sheet



Calico

EVOKE

Tear Sheet



Calico

EVOKE

Tear Sheet



Calico

EVOKE

Tear Sheet



Calico

EVOKE

Tear Sheet



Calico

EVOKE

Tear Sheet



Calico

EVOKE

Tear Sheet




Calico

EVOKE

Tear Sheet




Invoke is an expression
of the unseen.




CASTLE




DANCE



EXPRESSION




MEANDER



MEDITATE



METROPOLIS




QUILT



SKYLINE

Evoked Castle

Suitable for residential and some commercial projects



COLOR
Castle

STOCK
Made to order

MAINTENANCE
Water-based cleanser

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

ITEM
7001

LEAD TIME
4 weeks to print

ENVIRONMENTAL
FSC Certified Content

CONTENT
Clay-Coated Paper

MINIMUM
1 panel

SPECS
100% Cellulose face
Non-woven backing
7.1 oz per linear yard
117 g per linear meter
Smooth surface texture

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

PANEL WIDTH
26" / 661 mm trimmed

PRICE
Available upon request

PANEL HEIGHT
132" / 3353 mm standard
192" / 4877 mm extended

ORIGIN
USA


TESTING
(US) ASTM E84 Adhered Class A

REPEAT
Non-repeating

DETAILS
Custom options available

Evoke Dance

Suitable for residential and some commercial projects



COLOR
Dance

STOCK
Made to order

MAINTENANCE
Water-based cleanser

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

ITEM
7002

LEAD TIME
4 weeks to print

ENVIRONMENTAL
FSC Certified Content

CONTENT
Clay-Coated Paper

MINIMUM
1 panel

SPECS
100% Cellulose face
Non-woven backing
7.1 oz per linear yard
117 g per linear meter
Smooth surface texture

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

PANEL WIDTH
26" / 661 mm trimmed

PRICE
Available upon request

PANEL HEIGHT
132" / 3353 mm standard
192" / 4877 mm extended

ORIGIN
USA


TESTING
(US) ASTM E84 Adhered Class A

REPEAT
Non-repeating

DETAILS
Custom options available

Evoke Expression

Suitable for residential and some commercial projects



COLOR

Expression

STOCK

Made to order

MAINTENANCE

Water-based cleanser

CONTACT

sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

ITEM

7003

LEAD TIME

4 weeks to print

ENVIRONMENTAL

FSC Certified Content

CONTENT

Clay-Coated Paper

MINIMUM

1 panel

SPECS

100% Cellulose face
Non-woven backing
7.1 oz per linear yard
117 g per linear meter
Smooth surface texture

DISCLAIMER

Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

PANEL WIDTH

26" / 661 mm trimmed

PRICE

Available upon request

PANEL HEIGHT

132" / 3353 mm standard
192" / 4877 mm extended

ORIGIN

USA

TESTING

(US) ASTM E84 Adhered Class A

REPEAT


Non-repeating

DETAILS

Custom options available

Evoked Meander

Suitable for residential and some commercial projects



COLOR
Meander

STOCK
Made to order

MAINTENANCE
Water-based cleanser

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

ITEM
7004

LEAD TIME
4 weeks to print

ENVIRONMENTAL
FSC Certified Content

CONTENT
Clay-Coated Paper

MINIMUM
1 panel

SPECS
100% Cellulose face
Non-woven backing
7.1 oz per linear yard
117 g per linear meter
Smooth surface texture

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

PANEL WIDTH
26" / 661 mm trimmed

PRICE
Available upon request

PANEL HEIGHT
132" / 3353 mm standard
192" / 4877 mm extended

ORIGIN
USA


TESTING
(US) ASTM E84 Adhered Class A

REPEAT
Non-repeating

DETAILS
Custom options available

Evoked Meditate

Suitable for residential and some commercial projects



COLOR

Meditate

STOCK

Made to order

MAINTENANCE

Water-based cleanser

CONTACT

sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

ITEM

7005

LEAD TIME

4 weeks to print

ENVIRONMENTAL

FSC Certified Content

CONTENT

Clay-Coated Paper

MINIMUM

1 panel

SPECS

100% Cellulose face
Non-woven backing
7.1 oz per linear yard
117 g per linear meter
Smooth surface texture

DISCLAIMER

Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

PANEL WIDTH

26" / 661 mm trimmed

PRICE

Available upon request

PANEL HEIGHT

132" / 3353 mm standard
192" / 4877 mm extended

ORIGIN

USA

TESTING

(US) ASTM E84 Adhered Class A

REPEAT


Non-repeating

DETAILS

Custom options available

Evoked Metropolis

Suitable for residential and some commercial projects



COLOR

Metropolis

STOCK

Made to order

MAINTENANCE

Water-based cleanser

CONTACT

sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

ITEM

7006

LEAD TIME

4 weeks to print

ENVIRONMENTAL

FSC Certified Content

CONTENT

Clay-Coated Paper

MINIMUM

1 panel

SPECS

100% Cellulose face
Non-woven backing
7.1 oz per linear yard
117 g per linear meter
Smooth surface texture

DISCLAIMER

Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

PANEL WIDTH

26" / 661 mm trimmed

PRICE

Available upon request

PANEL HEIGHT

132" / 3353 mm standard
192" / 4877 mm extended

ORIGIN

USA

TESTING

(US) ASTM E84 Adhered Class A

REPEAT


Non-repeating

DETAILS

Custom options available

Evoked Quilt

Suitable for residential and some commercial projects



COLOR
Quilt

ITEM
7007

CONTENT
Clay-Coated Paper

PANEL WIDTH
26" / 661 mm trimmed

PANEL HEIGHT
132" / 3353 mm standard
192" / 4877 mm extended

REPEAT
Non-repeating

STOCK
Made to order

LEAD TIME
4 weeks to print

MINIMUM
1 panel

PRICE
Available upon request

ORIGIN
USA

DETAILS
Custom options available

MAINTENANCE
Water-based cleanser

ENVIRONMENTAL
FSC Certified Content

SPECS
100% Cellulose face
Non-woven backing
7.1 oz per linear yard
117 g per linear meter
Smooth surface texture


TESTING
(US) ASTM E84 Adhered Class A

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Evoked Skyline

Suitable for residential and some commercial projects



COLOR
Skyline

STOCK
Made to order

MAINTENANCE
Water-based cleanser

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

ITEM
7008

LEAD TIME
4 weeks to print

ENVIRONMENTAL
FSC Certified Content

CONTENT
Clay-Coated Paper

MINIMUM
1 panel

SPECS
100% Cellulose face
Non-woven backing
7.1 oz per linear yard
117 g per linear meter
Smooth surface texture

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

PANEL WIDTH
26" / 661 mm trimmed

PRICE
Available upon request

PANEL HEIGHT
132" / 3353 mm standard
192" / 4877 mm extended

ORIGIN
USA


TESTING
(US) ASTM E84 Adhered Class A

REPEAT
Non-repeating

DETAILS
Custom options available

Evoked Castle

Suitable for residential and commercial projects



COLOR
Castle

ITEM
7041

CONTENT
Type II PVC-Free

PANEL WIDTH
51" / 1295 mm trimmed

PANEL HEIGHT
132" / 3353 mm standard
192" / 4877 mm extended

REPEAT
Non-repeating

STOCK
Made to order

LEAD TIME
4 weeks to print

MINIMUM
1 panel

PRICE
Available upon request

ORIGIN
USA

DETAILS
Custom options available

MAINTENANCE
Water-based cleanser

ENVIRONMENTAL
Recycled Content
Phthalate Free
Low VOC
HPD Available

SPECS
Polyester/Natural Fiber face
Fabric backing
14 oz per linear yard
435.2 g per linear meter
Smooth surface texture


TESTING
(US) ASTM E84 Adhered Class A
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
W-101 Type II Class A
ASTM E96 Procedure B - 66 Perms

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Evoke Dance

Suitable for residential and commercial projects



COLOR

Dance

ITEM

Evoke 7042

CONTENT

Type II PVC-Free

PANEL WIDTH

51" / 1295 mm trimmed

PANEL HEIGHT

132" / 3353 mm standard
192" / 4877 mm extended

REPEAT

Non-repeating

STOCK

Made to order

LEAD TIME

4 weeks to print

MINIMUM

1 panel

PRICE

Available upon request

ORIGIN

USA

DETAILS

Custom options available

MAINTENANCE

Water-based cleanser

ENVIRONMENTAL

Recycled Content
Phthalate Free
Low VOC
HPD Available

SPECS

Polyester/Natural Fiber face
Fabric backing
14 oz per linear yard
435.2 g per linear meter
Smooth surface texture

TESTING

(US) ASTM E84 Adhered Class A
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
W-101 Type II Class A
ASTM E96 Procedure B - 66 Perms

CONTACT


sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER

Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Evoke Expression

Suitable for residential and commercial projects



COLOR

Expression

ITEM

7043

CONTENT

Type II PVC-Free

PANEL WIDTH

51" / 1295 mm trimmed

PANEL HEIGHT

132" / 3353 mm standard
192" / 4877 mm extended

REPEAT

Non-repeating

STOCK

Made to order

LEAD TIME

4 weeks to print

MINIMUM

1 panel

PRICE

Available upon request

ORIGIN

USA

DETAILS

Custom options available

MAINTENANCE

Water-based cleanser

ENVIRONMENTAL

Recycled Content
Phthalate Free
Low VOC
HPD Available

SPECS

Polyester/Natural Fiber face
Fabric backing
14 oz per linear yard
435.2 g per linear meter
Smooth surface texture

TESTING

(US) ASTM E84 Adhered Class A
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
W-101 Type II Class A
ASTM E96 Procedure B - 66 Perms

CONTACT


sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER

Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Evoked Meander

Suitable for residential and commercial projects



COLOR

Meander

ITEM

7044

CONTENT

Type II PVC-Free

PANEL WIDTH

51" / 1295 mm trimmed

PANEL HEIGHT

132" / 3353 mm standard
192" / 4877 mm extended

REPEAT

Non-repeating

STOCK

Made to order

LEAD TIME

4 weeks to print

MINIMUM

1 panel

PRICE

Available upon request

ORIGIN

USA

DETAILS

Custom options available

MAINTENANCE

Water-based cleanser

ENVIRONMENTAL

Recycled Content
Phthalate Free
Low VOC
HPD Available

SPECS

Polyester/Natural Fiber face
Fabric backing
14 oz per linear yard
435.2 g per linear meter
Smooth surface texture

TESTING

(US) ASTM E84 Adhered Class A
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
W-101 Type II Class A
ASTM E96 Procedure B - 66 Perms

CONTACT


sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER

Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Evoked Meditate

Suitable for residential and commercial projects



COLOR

Meditate

ITEM

7045

CONTENT

Type II PVC-Free

PANEL WIDTH

51" / 1295 mm trimmed

PANEL HEIGHT

132" / 3353 mm standard
192" / 4877 mm extended

REPEAT

Non-repeating

STOCK

Made to order

LEAD TIME

4 weeks to print

MINIMUM

1 panel

PRICE

Available upon request

ORIGIN

USA

DETAILS

Custom options available

MAINTENANCE

Water-based cleanser

ENVIRONMENTAL

Recycled Content
Phthalate Free
Low VOC
HPD Available

SPECS

Polyester/Natural Fiber face
Fabric backing
14 oz per linear yard
435.2 g per linear meter
Smooth surface texture

TESTING

(US) ASTM E84 Adhered Class A
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
W-101 Type II Class A
ASTM E96 Procedure B - 66 Perms

CONTACT


sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER

Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Evoked Metropolis

Suitable for residential and commercial projects



COLOR

Metropolis

ITEM

7046

CONTENT

Type II PVC-Free

PANEL WIDTH

51" / 1295 mm trimmed

PANEL HEIGHT

132" / 3353 mm standard
192" / 4877 mm extended

REPEAT

Non-repeating

STOCK

Made to order

LEAD TIME

4 weeks to print

MINIMUM

1 panel

PRICE

Available upon request

ORIGIN

USA

DETAILS

Custom options available

MAINTENANCE

Water-based cleanser

ENVIRONMENTAL

Recycled Content
Phthalate Free
Low VOC
HPD Available

SPECS

Polyester/Natural Fiber face
Fabric backing
14 oz per linear yard
435.2 g per linear meter
Smooth surface texture

TESTING

(US) ASTM E84 Adhered Class A
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
W-101 Type II Class A
ASTM E96 Procedure B - 66 Perms

CONTACT


sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER

Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Evoked Quilt

Suitable for residential and commercial projects



COLOR
Quilt

ITEM
7047

CONTENT
Type II PVC-Free

PANEL WIDTH
51" / 1295 mm trimmed

PANEL HEIGHT
132" / 3353 mm standard
192" / 4877 mm extended

REPEAT
Non-repeating

STOCK
Made to order

LEAD TIME
4 weeks to print

MINIMUM
1 panel

PRICE
Available upon request

ORIGIN
USA

DETAILS
Custom options available

MAINTENANCE
Water-based cleanser

ENVIRONMENTAL
Recycled Content
Phthalate Free
Low VOC
HPD Available

SPECS
Polyester/Natural Fiber face
Fabric backing
14 oz per linear yard
435.2 g per linear meter
Smooth surface texture


TESTING
(US) ASTM E84 Adhered Class A
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
W-101 Type II Class A
ASTM E96 Procedure B - 66 Perms

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Evoked Skyline

Suitable for residential and commercial projects



COLOR
Skyline

ITEM
7048

CONTENT
Type II PVC-Free

PANEL WIDTH
51" / 1295 mm trimmed

PANEL HEIGHT
132" / 3353 mm standard
192" / 4877 mm extended

REPEAT
Non-repeating

STOCK
Made to order

LEAD TIME
4 weeks to print

MINIMUM
1 panel

PRICE
Available upon request

ORIGIN
USA

DETAILS
Custom options available

MAINTENANCE
Water-based cleanser

ENVIRONMENTAL
Recycled Content
Phthalate Free
Low VOC
HPD Available

SPECS
Polyester/Natural Fiber face
Fabric backing
14 oz per linear yard
435.2 g per linear meter
Smooth surface texture

TESTING
(US) ASTM E84 Adhered Class A
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
W-101 Type II Class A
ASTM E96 Procedure B - 66 Perms

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.