


# Iso Swing Arm - Small




## APPEARANCE

Materials	Brass or powder coated steel, brass, glass
Hardware	Brass and powder coated brass
Finishes	See Material Options page
Customize	Globe, arm, cord

## TECHNICAL

Socket / Lamp	E26 ; bulb: A15 bulb
Watt / Volt	Max 25W; line voltage to 300v
Compatability	Most international
Certification	Not listed
Weight	5 lbs


# Iso Swing Arm - Small



## REC. USE / SPACES

- Living Room
- Bedroom
- Commercial Dining
- Ambient/accent lighting

## PLAN VIEW



### BULB

Sold seperately  
E26 Base  
A15 Bulb  
Max 25W



### COLOR TEMP

2700K



### LUMENS SCALE

Variable




### DIMMING

Inline dimmer switch  
  
Dimmable bulb required

### OTHER NOTES

Iso swings in both directions 180 degrees.

# Iso Swing Arm - Small



## MATERIAL OPTIONS

\*A vast array of custom materials and finishes are available for most products upon request.

### HARDWARE - ARM - CORD COMBOS



Brushed Brass  
(pine cord)



Rust



Bronze



Fog

### GLOBE



White  
(opaque)



Cream  
(translucent)



Fog  
(opaque)



Rust  
(translucent)



Cream  
(opaque)