Branch Pendant

Pendants



Rich Brilliant Willing

50 Greene St New York NY 10013 T +1 212 388 1621 sales@rbw.com



For 2D & 3D drawings of all products, including CAD, Revit and IES files, please visit rbw.com

DESCRIPTION

Perforated metal shells sit comfortably atop diffuser lenses, in this family of lights. This fixture is available in a variety of warm anodized finishes and warm color temperatures, adding atmosphere to any space.

MATERIALS

Perforated anodized aluminum, acrylic lens

PERFORMANCE

Medium 435 lm | Large 870 lm

Power Consumption for Medium 18W | Large 37W

Luminaire Watts for Medium 18W | Large 37W

Large 23 lm/W | Medium 23 lm/w

90 CRI

LED LIFESPAN

50k hours

CERTIFICATION

UL Listed Suitable for Damp Locations IP44



SUSPENSION

White

Cord 72 in

PRODUCT DIMENSIONS

Medium 3 x 3 x 24 in H | Large 3 x 3 x 46 in H

PRODUCT WEIGHT

8 lbs / 3.6 kg

DIMENSIONAL WEIGHT

Medium 8 lbs | Large 16 lbs

YOUR PRODUCT CODE

BREP-L-AA01-27-277_10_DIN

Specification Logic

SIZE

Large	L
Medium	M

PRIMARY FINISH

Natural Anodize	AA01
Gold Anodize	AA03
Black Anodize	AA04
Copper Anodize	AA06


CCT

2200K (candle light)	22
2700K (warm white)	27
3000K (soft white)	30
3500K (neutral white)	35
4000K (cool white)	40


INPUT / CONTROL / POWER

110-277V Input 0-10V, 0.1% dimming	277_10_DIN
110-277V Input DALI, 0.1% dimming	277_DL_DIN
110-277V Input Triac 5% dimming	277_TR_DIN

Drawings



BREP-L Branch Pendant Large Dimension



PREP-M Branch Pendant Medium Dimension