


# Pastille 3 Vanity

Sconces



50 Greene St  
New York NY 10013  
T +1 212 388 1621  
sales@rbw.com



For 2D & 3D drawings of all products, including CAD, Revit and IES files, please visit [rbw.com](http://rbw.com)

**DESCRIPTION**

Pastille's design echoes the Art Deco sensibilities of Old Hollywood. The collection offers mix-and-match options for custom installation, including either a droplet profile or faceted pattern for the glass globe, with various finishes for an accent ring or backplate.

**MATERIALS**

Opal glass, aluminum or steel

**COLLECTION NOTES**

Custom hand painting and braille solutions are available for the Pastille collection. Inquire with [sales@rbw.com](mailto:sales@rbw.com).

**PERFORMANCE**

1270 lm

Power Consumption 22W

Luminaire Watts 22W

59 lm/W

90 CRI

**LED LIFESPAN**

50k hours

**PATENT FILE NUMBER**

Patent Number D935,085,187451, 006433652-0001, GB90064336520002

**CERTIFICATION**

ADA Compliant

UL Listed

Suitable for Damp Locations

IP20

IP65



**PRODUCT DIMENSIONS**

24 L x 6 W x 4 in D

**PRODUCT WEIGHT**

2.5 lbs / 1.14 kg

**DIMENSIONAL WEIGHT**

15 lbs

---

YOUR PRODUCT CODE

**PAS-3V-DDD-PF13-27-120\_TR\_LINE-IP20**

---

Specification Logic

**DIFFUSER STYLE (GLOBE)**

Droplet	DDD
Faceted	FFF
Ribbed	RRR

**BACKPLATE FINISH**

Matte White Fine Texture	PC20
Silk Grey	PC25
Matte Black	PC30
Breccia	PC31
Vermillion	PC42
Custom Powder Coat	PCXX
Polished Chrome ⓘ	PF13
Satin Brass	PF17
Custom Plated Finish	PFXX

**COLOR TEMPERATURE**

2200K (Candle Light)	22
2700K (warm white)	27
3000K (soft white)	30
3500K (neutral white)	35

**INPUT / CONTROL / POWER**

110-120V Input TRIAC Control 10% dimming	120_TR_LINE
110-120V Input TRIAC / ELV / 0-10, 1% dimming	120_TM_DEX
220-240V Input 0-10V, 1% dimming	220_10_DEX
220-240V Input ELV Reverse Phase, 1% dimming	220_ELV_DEX
220-240V Input TRIAC / Forward Phase, 1% dimming	220_TR_DEX
110-277V Input 0-10V, 0.1% dimming	277_10_DEX
110-277V Input DALI, 0.1% dimming	277_DL_DEX


**IP RATING**

---

IP20 Rated	IP20
IP65 Rated	IP65



# Drawings



PAS-3V Pastille Vanity Sconce Dimension

Generate Date: Fri Nov 19 2021