

ORBIT SATELLITE hewn brass

ORBIT SATELLITE

hardwired

Description

ORBIT SATELLITE introduces a second reflector to the classic ORBIT SCONCE. With two arms rotating 320 degrees in tandem, the warm glow of the porcelain bulb is both directed and contained.

Fixture Finish Options

Hewn Brass Hand Finished Bronze Brushed Nickel

Dimensions

Overall Height - 12" Maximum Overall Width - 10" Maximum Overall Depth - 13" Backplate Diameter - 5" Large Reflector Diameter - 7"

Small Reflector Diameter - 4"


Weight

3.5 lbs

Lamp

60W E26 G25 / E27 G80 Incandescent Max Per Socket (1) Tala Porcelain II E26/27 Bulb Included 3" Diameter With Porcelain Finish 6W Dimmable LED Bulb 50 Watt Equivalent 540 Lumens 2700K Color Temperature Bulb Life 15,000 Hours UL/cUL/CE Listed Damp Rated








10"	
TO	

front

7"

side



To download a digital copy and view in situ images of this product, visit www.workstead.com For retail and trade inquiries, contact Workstead at shop@workstead.com



ORBIT SATELLITE PLUG-IN hewn brass

ORBIT SATELLITE

plug-in

Description

ORBIT SATELLITE introduces a second reflector to the classic ORBIT SCONCE. With two arms rotating 320 degrees in tandem, the warm glow of the porcelain bulb is both directed and contained.

Fixture Finish Options

Hewn Brass Hand Finished Bronze Brushed Nickel

Dimensions


Overall Height - 12" Maximum Overall Width - 10" Maximum Overall Depth - 13" Backplate Diameter - 5" Large Reflector Diameter - 7" Small Reflector Diameter - 4 Cord Length - 10'

Weight

3.5 lbs


Lamp

60W E26 G25 / E27 G80 Incandescent Max Per Socket (1) Tala Porcelain II E26/27 Bulb Included 3" Diameter With Porcelain Finish 6W Dimmable LED Bulb 50 Watt Equivalent 540 Lumens 2700K Color Temperature Bulb Life 15,000 Hours UL/cUL/CE Listed Damp Rated



front

side



To download a digital copy and view in situ images of this product, visit www.workstead.com For retail and trade inquiries, contact Workstead at shop@workstead.com