



TUBE SCONCE hewn brass

TUBE

sconce hardwired

Description

The TUBE SCONCE is a versatile slim sconce, our take on a classic vanity fixture. Mounted either vertically or horizontally, the fixture expresses a bold beam of light appropriate for bathroom and hallway installations. UL Listed. ADA Compliant. Damp Rated.

Finish Options

Hewn Brass Hand Finished Bronze Brushed Nickel

Dimensions


Overall Height - 23" Glass Height - 18" Glass Diameter - 2" Backplate Diameter - 5"

Weight

6 lbs


Lamp

16 Watt Integrated LED Panel 100 Watt Equivalent 1600 Lumens 2700K Color Temperature Triac & ELV Compatible Dimmable and Flicker-Free Panel Life 50,000 Hours UL/CE Listed Damp Rated



front

side





TUBE PENDANT hewn brass

TUBE

pendant hardwired

Description

The TUBE PENDANT disperses a bold beam of light into space, hovering delicately above a counter, table, or hall. Matte blown-glass is playfully offset by two metal balls, presenting a fixture that is both luminous and rhythmic. UL Listed. Damp Rated.

Finish Options

Hewn Brass Hand Finished Bronze Brushed Nickel

Dimensions


Overall Height Small - 24" Medium - 36" Large - 48" Overall Length - 23" Glass Length - 18" Glass Diameter - 2" Canopy Diameter - 5" Rod Diameter - .5" Custom Overal Heights Available

Weight


8 lbs

Lamp

16 Watt Integrated LED Panel 100 Watt Equivalent 1600 Lumens 2700K Color Temperature Triac & ELV Compatible Dimmable and Flicker-Free Panel Life 50,000 Hours UL/CE Listed Damp Rated



side





TUBE FLUSH MOUNT hewn brass

TUBE

flush mount hardwired

Description

The TUBE FLUSH MOUNT expresses a bold beam of light appropriate for bathroom and hallway installations. UL Listed. ADA Compliant. Damp Rated.

Finish Options

Hewn Brass Hand Finished Bronze Brushed Nickel

Dimensions

Overall Height - 4" Overall Length - 23" Glass Length - 18" Glass Diameter - 2" Depth - 5" Backplate Diameter - 5"

Weight

6 lbs

Lamp

16 Watt Integrated LED Panel 100 Watt Equivalent 1600 Lumens 2700K Color Temperature Dimmable and Flicker-Free Triac & ELV Compatible Panel Life 50,000 Hours UL/CE Listed Damp Rated



side

